

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3801	(29/596,598).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/24 17:35
S2	92	S1 and (mold or molded or molding) same (tooth or teeth)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 08:45
S3	4	((("4392072") or ("4613842") or ("4994700") or ("5866965"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/25 08:47
S4	33	((("6274962") or ("6462456") or ("6472792") or ("6487769") or ("6495936") or ("6583530") or ("20020149282") or ("2607816") or ("2695969") or ("3914859") or ("4255684") or ("5390409") or ("5570503") or ("5680692") or ("5798138") or ("5990588") or ("4987065") or ("3641408") or ("3827141") or ("4065673") or ("4466182") or ("4672252") or ("4698539") or ("4760588") or ("4819259") or ("5015904") or ("5722152") or ("5883487") or ("5912522") or ("6057621") or ("6166474"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/25 09:08
S5	8345	(mold or molded or molding) with (tooth or teeth or pole or poles)	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 09:10
S6	1743	(mold or molded or molding) with (tooth or teeth or pole or poles) and (motor or generator or stator or rotor or rotator or armature or yoke)	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/28 08:46
S7	870	(mold or molded or molding) near5 (tooth or teeth or pole or poles) and (motor or generator or stator or rotor or rotator or armature or yoke)	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 11:27
S8	1	("4255684").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/25 11:47
S9	3801	(29/596,598).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/25 11:47
S10	268	S9 and (mold or molded or molding or mould or moulding or moulded). clm.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 12:04

## EAST Search History

S12	2849	(264/104,259,328.18).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/25 12:08
S13	80	S12 and (stator or rotor or yoke or armature)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 12:12
S14	0	310/216,254	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 12:15
S15	3520	(310/216,254).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/25 12:16
S17	4565	(310/216,254,214,215).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/25 12:17
S18	881	S17 and (mold or mould or molded or moulded or molding or moulding)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 12:20
S19	239	S17 and (mold or mould or molded or moulded or molding or moulding).clm.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 08:03
S20	171	(gerald near kliman or guanzhong near gao)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/25 12:34
S21	1	("4121207").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/25 14:18
S22	4	((("6141401") or ("6472792") or ("6676891") or ("6300702"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/25 14:18
S23	24	((("20030160536") or ("20040178695") or ("6166474") or ("6218753") or ("6218753") or ("5410200") or ("5780944") or ("5854526") or ("6172438") or ("6369473") or ("6770998") or ("6894419") or ("20020105244") or ("20030076001") or ("20040140725") or ("6809453") or ("20040061396") or ("20040124733") or ("20050146232") or ("4587449") or ("6674186") or ("20020167230") or ("5960532") or ("4614887") or ("4156821"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/25 15:08

## EAST Search History

S24	1	("4255684").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/25 15:45
S25	84	("0794998"   "1255606"   "1255607"   "2433390"   "3591819"   "3953754").PN. OR ("4255684"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:08
S26	1	("4197146").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/25 15:49
S27	71	mischler.in.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:49
S28	0	mischlernear william.in.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:49
S29	15	mischler near william.in.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:51
S30	32980	general electric.as.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:51
S31	6714	S30 and (molded or molding or mold)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:51
S32	5866	S30 and (molded or molding)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:52
S33	704	S30 and (molded or molding) and (stator or yoke or rotor or rotator or armature)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:52
S34	309	S30 and (molded or molding) same (stator or yoke or rotor or rotator or armature)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:52
S35	125	S30 and (molded or molding) same (stator or yoke or rotor or rotator or armature) and (molded or molding). clm.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:53
S36	0	S30 and (molded or molding) same (stator or yoke or rotor or rotator or armature) "310".clas.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:53
S37	141	S30 and (molded or molding) same (stator or yoke or rotor or rotator or armature) and "310".clas.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:53
S38	164	S30 and (molded or molding) same (stator or yoke or rotor or rotator or armature) and ("29" or "310").clas.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/25 15:53

## EAST Search History

S39	4840	(310/43,44,214,215,218,259,260). CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/28 08:02
S40	4241	(310/43,44,215,218,259,260).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/28 08:02
S42	509	S40 and (mold or mould or molded or moulded or molding or moulding).clm.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 08:18
S43	1	"20040124733"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 08:21
S45	21	(US-20020149282-\$ or US-20030193260-\$).did. or (US-6472792-\$ or US-4255684-\$ or US-5990588-\$ or US-6057621-\$). did. or (WO-9625785-\$).did. or (JP-2003289637-\$ or JP-2001055979-\$ or JP-09093881-\$ or JP-10126981-\$ or JP-09182327-\$ or JP-60096166-\$).did. or (EP-809878-\$ or JP-60187244-\$ or EP-1453179-\$ or JP-01171934-\$ or FR-2617345-\$ or GB-2194688-\$ or US-4255684-\$ or GB-1364684-\$). did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/08/28 08:24
S46	0	S45 and slot liner	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/08/28 08:24
S47	0	S45 and slot lin\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/08/28 08:24
S48	1	S45 and slot insul\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/08/28 08:26
S49	3801	(29/596,598).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/28 08:26
S50	105	S49 and slot lin\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/08/28 08:26
S51	88	S49 and slot liner	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/08/28 08:41

## EAST Search History

S52	359	S49 and compression	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/08/28 08:42
S53	31	S49 and compression with molding	US-PGPUB; USPAT; EPO; JPO; DERWENT	ADJ	ON	2006/08/28 08:42
S54	27	compression with (mold or molded or molding) with (tooth or teeth or pole or poles) and (motor or generator or stator or rotor or rotator or armature or yoke)	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/28 08:49
S55	3	compression molding with teeth same (stator)	FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/28 08:49
S56	6	compression molding with teeth same (stator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/28 08:52
S57	6	compression molding with tooth same (stator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/28 08:53
S58	1	compression molded with tooth same (stator)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/28 08:53
S59	32980	general electric.as.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 11:05
S60	11	((("2607816") or ("2695969") or ("3914859") or ("4255684") or ("5390409") or ("5570503") or ("5680692") or ("5798138") or ("5990588"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/28 11:32
S61	6	(compacting or compresing) with (coils or windings) with stator with (tooth or teeth or pole)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 11:33

## EAST Search History

S62	18	(compacting or compressing) with (coils or windings) with stator with (tooth or teeth or pole)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 11:36
S63	6	(compacting or compressing or compacted or compressed) near5 (coils or windings) near7 (tooth or teeth or pole) with stator	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 11:40
S64	6	(compacting or compressing or compacted or compressed) near5 (coils or windings) near7 (tooth or teeth or pole) with stator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/28 11:40
S65	6	(compacting or compressing or compacted or compressed) near5 (coil or winding) near7 (tooth or teeth or pole) with stator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/28 11:42
S66	3309	pole shoe	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 11:43
S67	766	pole shoe same stator	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 11:43
S68	531	pole shoe with stator	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 11:43
S69	208	pole shoe same (molded or mold or molding or injection)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 11:49
S70	6	Heidrich near markus.in.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 11:55
S71	18	"5089730"	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 11:55
S72	1	("5089730").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/28 11:57
S73	443	(pressing or pressed or press or compressing or compressed or compress or compacting or compacted or compact) near5 (winding or coil) near5 (tooth or teeth or pole or poles)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 11:59

## EAST Search History

S74	159	(pressing or pressed or press or compressing or compressed or compress or compacting or compacted or compact) near5 (winding or coil) near5 (tooth or teeth or pole or poles) and stator	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/28 12:00
S75	41	(winding or coil) adj3 (pressed or compressed or compacted) adj4 (pole or tooth or teeth)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/29 08:02
S76	1	("6274962").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/29 08:26
S77	1	("5946796").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/29 08:27
S78	13	("2506173"   "3184173"   "3389865"   "4053111"   "4106189"   "5113573"   "5218752"   "5594984"   "5657530").PN. OR ("5946796").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/29 09:16
S79	46024	I and mandrel	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/29 08:34
S80	1	S78 and mandrel	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/29 08:39
S81	205	coil pusher	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/29 08:40
S82	0	compression molding same stator (tooth or teeth)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/29 09:16
S83	6	compression molding same stator (pole)	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/29 09:16
S84	4	("4392072"   "4818911"   "4891567"   "5276958").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2006/08/29 09:17